


VOR or GPS RWY 28

PLYMOUTH MUNI (C65)

VOR/DME OXI 115.6 Chan 103	APP CRS 261°	Rwy ldg 4100 TDZE 796 Apt Elev 800
--	------------------------	---


▼ Obtain local altimeter setting on CTAF; when not received, use South Bend altimeter setting.
 ▲ NA MISSED APPROACH: Climb to 2500 then right turn via OXI R-081 to PARTS and hold.

SOUTH BEND APP CON ★ **132.05 257.8**
 UNICOM **122.8** (CTAF) **0**



EC-2, 22 OCT 2009 to 19 NOV 2009

EC-2, 22 OCT 2009 to 19 NOV 2009



ELEV 800 Rwy 28 ldg 4100'

TDZE 796

MIRL Rwy 10-28 **0**
 REIL Rwy 10 and 28 **0**

FAF to MAP 5.5 NM					
Knots	60	90	120	150	180
Min:Sec	5:30	3:40	2:45	2:12	1:50

CATEGORY	A		B		C		D
	1	2	1	2	1	2	
S-28	1280-1	484 (500-1)	1280-1¼	484 (500-1¼)	1380-1½	584 (600-1½)	NA
CIRCLING	1340-1	544 (600-1)	1380-1½	584 (600-1½)	1440-1¾	644 (700-1¾)	NA
SOUTH BEND ALTIMETER SETTING MINIMUMS							
S-28	1320-1	524 (600-1)	1320-1½	524 (600-1½)	1440-1¾	644 (700-1¾)	NA
CIRCLING	1380-1	584 (600-1)	1440-1¾	644 (700-1¾)	1440-1¾	644 (700-1¾)	NA